NATIONAL ACADEMY OF SCIENCES

RICHARD EDWIN SHOPE

1901—1966

A Biographical Memoir by CHRISTOPHER ANDREWES

Any opinions expressed in this memoir are those of the author(s) and do not necessarily reflect the views of the National Academy of Sciences.

Biographical Memoir

Copyright 1979 National Academy of sciences Washington d.c.



Richard E. Aliope

RICHARD EDWIN SHOPE December 25, 1901–October 2, 1966

BY CHRISTOPHER ANDREWES

I N THESE DAYS of fashions in research and dependence upon sophisticated equipment, it is refreshing to know of people like Dick Shope. He was a born naturalist: he found his own problems in the field and sought their solutions there and in the laboratory, using simple techniques. He talked to farmers and veterinarians in his native Iowa and learned from what they had to tell him. In the laboratory he usually worked alone, doing essential things, including post-mortems of pigs, with his own hands.

He was born on Christmas Day 1901 in Des Moines, Iowa. His father was a prominent physician there, and from him and his mother he inherited genes of German, Scottish, English, Pennsylvania Dutch, and Indian origin. He enjoyed an open-air life with hunting and fishing on holidays. From ten onward he earned money by milking cows and looking after farm stock, especially poultry.

At seventeen he went to Ames to register in the School of Forestry, but as the registrar's office was not open, he proceeded to Iowa City and registered as a pre-medical student. At medical school he did well both in his studies and in sports, qualifying in 1924. Thus his college education in medicine and his boyhood experiences on the farm combined to produce a man excellently qualified to contribute to knowledge of animal diseases. After qualifying, he became an instructor in pharmacology at the University of Iowa and among other activities did work on the chemotherapy of tuberculosis. Because of what he did in that field he was invited to join the laboratories of the Rockefeller Institute at Princeton to work under Dr. Paul Lewis. At this time he married a fellow student, Helen Ellis, and the first few years of their marriage were, financially, difficult ones. Nor was the work on tuberculosis particularly rewarding.

In 1928, however, he left the field of tuberculosis to work on hog cholera and thus began a career in the field of virology that was to continue for thirty-eight years. While investigating hog cholera in the field, Shope saw his first outbreak of swine influenza, and he proceeded to study this, with Paul Lewis, in 1929. They soon isolated a bacterium, *Haemophilus influenzae suis*, similar to Pfeiffer's bacillus, at one time thought to be the cause of influenza in man.

The Haemophilus was regularly present in the bronchial secretions of infected pigs, but cultures failed to reproduce the disease. Shope wrote, "We were at this stage of the game, in almost the identical predicament regarding the role of H. influenzae suis that investigators of human influenza had been in regarding the Pfeiffer bacillus at the close of the 1918 pandemic."*

At this time Paul Lewis died of a yellow fever infection contracted in the laboratory, and Shope carried on by himself. He now made sterile filtrates of infectious material and administered them to swine intranasally. The filtrates did indeed produce symptoms but nothing as severe as real swine flu. A few had fever, some coughed, and most had apathy and loss of appetite. Leukopenia was regularly present. Sacrificed animals had changes in the lungs, but whereas swine flu victims showed extensive collapse, bronchitis, and bronchiectasis, those suffering

* Ricketts Lecture, 1964. See Bibliography.

from what Shope now called "filtrate disease" had minimal changes. It seemed likely, however, that a virus was concerned. Shope later wrote, "Instead of one agent... of possible etiological importance, here were two such agents."* Now, to quote G. W. Corner, "Acting upon an improbable conjecture, Shope administered the bacillus and the virus at the same time, whereupon the animals amazingly came down with typical influenza characterised by severe pneumonia."[†]

Shope naturally wondered whether his findings had any bearing on the causation of influenza in man. He had not long to wait; in 1933, two years after he had described his findings, Wilson Smith, Patrick P. Laidlaw and I reported that a virus from human influenza would infect ferrets. I then visited Princeton and compared notes with Shope, thus beginning a very close friendship that endured until his death. Over the years we exchanged many long, highly controversial, and often hilarious letters about all aspects of influenza and many other subjects.

After 1934 there followed a period of consolidation in the swine flu work. Recovered pigs were found to develop neutralizing antibodies and to be immune to reinfection. The disease was found to pass readily from pig to pig by contact, but curiously enough, though the virus and *Haemophilus* would pass together from a swine flu-infected pig, only the virus was transmitted in subsequent serial contacts. Then, only the filtrate disease appeared unless the contact pig happened to be carrying the *Haemophilus*.

It was soon shown that swine flu virus, like the human one, would infect ferrets, and the further, important fact emerged that when it was given intranasally to anesthetized ferrets, they developed pneumonia instead of only nasal symptoms. Patho-

^{*} Ricketts Lecture, 1964. See Bibliography.

⁺ A History of the Rockefeller Institute 1901–1953 (N.Y.: Rockefeller Inst. Press, 1964).

genicity of swine flu for mice was also established. Tests on both sides of the Atlantic showed that the swine and human viruses were antigenically related, though not identical. In crossimmunity experiments, only partial protection was produced by the heterologous virus.

Swine were found to be susceptible to infection by the human virus; this gave rise to filtrate disease unless the Haemophilus was present also. During 1937, sera were obtained from pigs at farms near two institutions where flu outbreaks were in progress: the results showed that the pigs too had become infected with the human viruses, though no adverse symptoms among them had been observed. These observations suggested that swine influenza, which had first been observed in the Midwest in 1918, might have originated from the transmission of the pandemic virus from man to pig. This idea was put forward independently by Laidlaw in Britain and by Shope. Remarkable confirmation came from studies of antibodies in people of different ages. Shope found, in 1936, that hardly any human sera from children aged twelve or less would neutralize the swine flu virus while many from older persons did so. This suggested that a virus antigenically related to swine flu had been present in the human population up to 1924 but not later. (One may reasonably suppose that the virus responsible for the 1918-1919 pandemic persisted for a few years after that catastrophe.) Work in several laboratories has confirmed these suggestions, and the relation of swine flu virus to the pandemic strain is generally accepted as being highly probable.

The discovery of the swine influenza virus and the bearing of the findings on human disease remain Shope's greatest contribution to knowledge. The next phase of his work, beginning in 1941, is much more controversial. His observations in the field had taught him that the disease was commonly absent during the summer but might break out explosively in October and November. Moreover this might happen, perhaps after the

onset of inclement weather, in several farms simultaneously. There was no question of direct transmission of virus from one farm to another; it seemed rather that virus had been seeded into the herds beforehand and then activated in many pigs at the same time. After pursuing other clues which proved unrewarding, Shope concluded that swine lung worms were acting as intermediate hosts. Ova laid by these worms are passed in the pigs' feces and taken up by earthworms in which the eggs hatch and undergo further stages in development. Pigs are fond of eating earthworms; the lungworm larvae are thus ingested and eventually reach the pigs' lungs, thus completing the cycle. Shope concluded that lungworms from flu-infected pigs would carry the virus in an inapparent or "masked" state throughout this cycle. On regaining a position in the lungs of fresh swine, the masked virus would not have its pathogenic properties restored until some stress to the pig had triggered something off; only after that did respiratory illness result. Shope had no difficulty in infesting earthworms with lungworms from flu-infected swine and in passing them back to fresh animals, which he called "prepared" swine. Disease was most readily provoked by repeated injections of these swine with cultures of Haemophilus: it could also be activated by exposure of the pigs to hard weather. Unfortunately the outcome of the experiments was irregular; success was obtained in only about half the attempts. Moreover, virus could never be demonstrated in lungworms by direct tests.

Opinions are much divided as to the validity of Shope's explanation of the facts. Some have accepted it as gospel, others have been wholly skeptical. The technique to test its truth has been beyond the reach of most workers: so few have attempted it. Those who have, have met varying success. I myself was unsuccessful: Shope gave me infected earthworms to take back to England, but there the attempted provocation did not lead to any disease. Shope was wont to argue that had it not been for the fortunate existence of a suitable, available, intermediate host, swine flu could never have persisted in North America. On the other hand, I used to argue with him that neither the earthworm with which we were most concerned, a species of *Allolobophora*, nor the pig were native American animals and that I could not believe that a complex biological cycle involving three species could be evolved almost overnight.

One can now look at influenza in better perspective. It is now known that strains of influenza A virus infect man, pigs, horses, several other mammals, and many species of wild and domesticated birds. Only among swine in North America is there a suggestion that a complex cycle involving worms is concerned. Elsewhere, and particularly in man, outbreaks of influenza start mysteriously and explosively: there is, in general, no possibility that a cycle in worms plays any part. One must, I think, conclude that though swine flu virus may well persist in lungworms and earthworms in North America, it probably does so passively and is not of as great epidemiological importance as Shope supposed.

In 1930 Shope's attention was drawn to "mad itch," a violent, distressing, and fatal disease of cattle in the Midwest. He showed that it was caused by a virus transmissible to rabbits, and that it was endemic among pigs, in which it was comparatively harmless. Cattle contracted infection through contact with pigs. He finally proved the identity of mad itch with pseudorabies, a disease prevalent in parts of Europe. Later he studied another disease of pigs—swine pox—and showed that it could be, though it was not necessarily, transmitted through the agency of piglice. He also published evidence that hog cholera virus might persist, as swine flu virus appeared to do, in lungworms.

Shope's three most outstanding discoveries followed each other in rapid succession: swine influenza in 1931, the rabbit fibroma in 1932, and the rabbit papilloma in 1933.

The infectious fibroma, often referred to as the Shope

fibroma, was discovered on a shot cottontail rabbit (Sylvilagus). Minced material from this was inoculated into domestic rabbits (Oryctolagus) and readily produced growths, especially in young animals. Inoculation into the testis was most successful; intradermal and intraperitoneal injections gave less constant results. The growths consisted of proliferating fibroblasts; in the overlying epidermis eosinophilic granules were seen, though only in the cottontails. Shope emphasized that this was a tumor only in the broadest sense of "a local swelling consisting of a mass of new tissue."* This was wise, since the tumors normally regressed. One persisted as long as seventy-seven days in a cottontail, but regressions occurred much earlier in domestic rabbits. It was soon shown that the growths had a filterable cause since an infectious agent passed a Berkefeld V filter. There was, however, no evidence of spread by contact. When infection was transferred, it was evident that the host's cells were being infected: it was not a question of transplanting a graft. Recovered rabbits were immune to further infection and developed neutralizing antibodies in their sera.

The character of the infection suggested to Shope a possible relationship to rabbit myxoma. This infection, of South American origin, causes local lesions in the native rabbits, another *Sylvilagus* species, but in domestic rabbits causes fatal disease. Shope found that rabbits recovered from his fibroma were largely resistant to the myxoma virus: they still developed local lesions, but almost all survived. Some measure of cross-immunity was also apparent in tests with antisera against the two viruses. The fibroma virus has been used subsequently as a practical method of immunizing rabbits against myxomatosis.

By analogy with myxomatosis it seems likely that the fibroma is mechanically transmitted by insect bites, but Shope's investigation of this in the field was never completed.

In 1936 Shope sent me some fibroma material, which I duly

* Journal of Experimental Medicine, 56(1932):793. See Bibliography.

inoculated into rabbits' testes. Most surprisingly there appeared only acute inflammatory lesions instead of the expected proliferative changes. Moreover, many inoculated rabbits developed generalized pock-like lesions on their skins. This "inflammatory" strain was antigenically identical to the original one. Shope noted similar changes in one of his strains, and we collaborated in work that seemed to indicate that a mutation had occurred in the direction of greater virulence for rabbit cells.

Another development of work on the fibroma was the finding in several laboratories that various factors could cause the benign self-limited fibroma to become a generalized, persistent, or even fatal infection. These factors included the simultaneous injection of carcinogens or cortisone, application of X-rays, or the use of very young rabbits. The importance of work on the fibroma is its demonstration that the distinction between infection and neoplasia may be largely artificial: Shope's fibroma is one agent which bridges the gap.

Still more important in this connection is Shope's rabbit papilloma. Cottontail rabbits shot in Iowa and Kansas frequently have horns or warts on their skins. Shope found that material from these would readily produce warts on the skins of cottontail or tame rabbits when rubbed into the shaved and lightly scarified skin. The warts usually began to appear after six to twelve days: they might regress after a time or persist indefi-nitely as tall, often black, horns. The warts proved to be caused by a virus that gave rise to neutralizing antibodies: recovered animals were immune to reinfection. In cottontails the warts could be passed in series without difficulty, but the warts in domestic rabbits, even though well-developed, commonly failed to be transmitted to further animals. Shope devoted much attention to this matter: he did occasionally obtain successful serial transmissions in the tame rabbits, but failures were the rule. The important discovery was then made that the tame rabbit warts, though apparently virus-free, would lead to the production of specific neutralizing antibodies when injected

into rabbits intraperitoneally. The virus, or an essential part of it, was still there, perhaps in a masked form. This brought out the point that a virus might be the cause of a neoplastic condition, yet not be directly demonstrable. Critics of the work maintained that the difference between the wild and tame rabbits' warts was a purely quantitative one, but further work rendered this unlikely. Though many may be reluctant to believe in the "masked" swine flu virus in lung-worms, the "masked" papilloma virus seems to be genuine. Shope suggested that it might survive as infectious DNA, but since it gives rise to neutralizing antibodies, there must be more of it remaining than that.

The work gained a new dimension when it was found that in many tame rabbits the warts progressed and became carcinomatous. This change, though common in domestic rabbits, was rare in cottontails. Shope, at this time, was busy with many problems, so he generously gave the material to Francis Peyton Rous. What Rous did with the rabbit cancers during the next thirty years is a matter of history.

When the war came, there were fears that the enemy might seek to interfere with food production in North America by introducing the very infectious disease rinderpest into American cattle. Shope, attached for this purpose to the Army, was asked to take charge of a joint United States-Canadian project to produce an effective vaccine. Stringent precautions were necessary to prevent the escape of the infection, and laboratories were accordingly set up on Grosse Isle, a small island in the St. Lawrence River below the city of Quebec. Here Shope, with a staff of five other scientists, worked in strict isolation, and in the course of nineteen months produced an effective vaccine by growing and attenuating the virus in hens' eggs. This has since been used on a large scale in the field.

With this work completed, Shope asked to be transferred back to the Navy, which had been his original wartime assignment. T. M. Rivers was in charge of a U.S. Naval Medical Research unit and, in 1944, got together a powerful team including Shope. There was little knowledge of what medical dangers might threaten men attacking islands in the Far East. When the invasion of Okinawa was planned, Shope was a member of a medical team that landed with the assault party in April 1945. A laboratory was established and was at times under fire. Fortunately the disease hazards were not found to be great, and before long the group was ordered to return to Guam. Even under war conditions Shope's inquiring mind sought fresh opportunities. He collected in the Pacific a number of molds, hoping to find one that would be of chemotherapeutic value. One of them, from Guam, grew on the cover of a photograph of his wife, Helen, and later this yielded an extract, which he called Helenine, having activity against several viruses in vivo. It was proved later that this was due to a nucleoprotein in it capable of stimulating interferon production.

Soon after the war, in 1947, fell a severe blow. Shope, essentially a country lover, had enjoyed being able to live near Princeton University on a small farm where he could keep a cow and poultry and grow vegetables. Then, with no previous warning to the staff, the Trustees of the Rockefeller Institute decided to close down their Princeton branch, offering the staff the opportunity to work in their main Institute in New York. Shope hated the idea of having to work in a city, especially as he needed facilities for work with large animals. So in 1949 he resigned and accepted a position as Assistant Director of the Merck Institute for Therapeutic Research in Rahway, New Jersey. Here he continued his work, chiefly on Helenine. But work within a commercial organization was quite foreign to his temperament, and in 1952 he returned to the Rockefeller Institute (now the Rockefeller University) in New York, living in an apartment across the street from the Institute but going back whenever possible for a weekend at his "gentleman's farm" near Princeton.

Because of his wide knowledge, common sense, integrity, and complete sanity Shope was a valued member of many committees, too many for his liking: at one time or another he served on no less than forty-five. Many of these were government or state committees, particularly those dealing with diseases of animals. Later he served on several of those concerned with cancer research.

Shope received many honors. He was elected to the American Philosophical Society (1944) and the National Academy of Sciences (1940). He received honorary degrees from the universities of Utrecht, Rutgers, Giessen, Chicago, Pennsylvania, Iowa, and Yale, as well as many prizes and awards including the U.S. Army Legion of Merit and the Albert Lasker award.

In the course of his work he became infected with two serious virus diseases, lymphocytic choriomeningitis and eastern equine encephalomyelitis, but in each case he made a good recovery. Some years before his death he underwent a major operation when a small abdominal cancer was found. For a long time there was every hope that it had been completely eradicated, but the hope was not realized, and he died on October 2, 1966. He is survived by his widow, three sons (Richard, Robert, and Thomas), a daughter (Nancy), and numerous grandchildren. The three sons are all following their father's footsteps in adding to medical and veterinary knowledge.

This account tells something of Shope's very great achievements. It is more difficult to give a picture of his personality. His was an unspoilt nature. He had simple tastes and above all a vivid sense of humor. He was fond of recounting anecdotes, and they became more remarkable, and rather less credible, with each time of telling. From the age of six his summer vacations were spent by Woman Lake, Minnesota, where he and his brother hunted and fished. He returned there again and again to one or another site by the lake. I like to remember him as he was during those happy days at Woman Lake.

BIBLIOGRAPHY

1926

The survival of the tubercle bacillus in suspension in physiological salt solution. J. Exp. Med., 44:623-24.

1927

- The quantity of cholesterol in the blood serum of the guinea pig as an inherited character; its relation to natural resistance to tuberculosis, and to tuberculosis infection. J. Exp. Med., 45: 59-68.
- Bacteriophage isolated from the common house fly (Musca domestica). J. Exp. Med., 45:1037-44.
- Sugar and cholesterol in the blood serum as related to fasting. J. Biol. Chem., 75: 101-13.

- The distribution of sugar between blood corpuscles and blood plasma for several animal species. J. Biol. Chem., 78:107-10.
- The distribution of sugar between corpuscles and plasma in blood from normal human beings, and from diabetics with and without insulin therapy. J. Biol. Chem., 78:111-15.
- With John W. Gowen. Cholesterol and cholesterol ester content of bovine colostrum. J. Exp. Med., 48:21-24.
- With John W. Gowen. Cholesterol and cholesterol ester in the blood serum of cattle late in pregnancy and during the early lactation period. J. Exp. Med., 48:25-30.
- The influence of cholesterol on experimental tuberculosis. J. Exp. Med., 48:321-37.
- Differences in serum and plasma content of cholesterol ester. J. Biol. Chem., 80:125-26.
- Cholesterol esterase in animal tissues. J. Biol. Chem., 80:127-32.
- The hypercholesterolemia of fasting as influenced by the separate administration of fats, carbohydrates, and proteins. J. Biol. Chem., 80:133-40.
- The effect of age on the total and combined cholesterol of the blood serum. J. Biol. Chem., 80:141-48.

- Cholesterol in the blood of the horseshoe crab (Limulus polyphemus) and the woolly bear caterpillar (Isia isabella). Proc. Soc. Exp. Biol. Med., 26:336.
- With Paul A. Lewis. A paralytic disease of guinea pigs due to the tubercle bacillus. J. Exp. Med., 50:365-70.
- With Paul A. Lewis. The cultural and staining reactions of a strain of the tubercle bacillus producing paralysis in guinea pigs. J. Exp. Med., 50:371-76.
- With Paul A. Lewis. The study of the cells of the blood as an aid to the diagnosis of hog cholera. J. Am. Vet. Med. Assoc., 74:145.
- With Paul A. Lewis. The blood in hog cholera. J. Exp. Med., 50: 719-37.

1930

- Variations in the plasma cholesterol and cholesterol ester content in hog cholera. J. Exp. Med., 51:179-87.
- "Mad itch" of cattle. Science, 72(November 28):559.

1931

- The etiology of swine influenza. Science, 73(February 20):214–15.
- An experimental study of "mad itch" with especial reference to its relationship to pseudorabies. J. Exp. Med., 54:233-48.
- Swine influenza. I. Experimental transmission and pathology. J. Exp. Med., 54:349–59.
- With Paul A. Lewis. Swine influenza. II. A hemophilic bacillus from the respiratory tract of infected swine. J. Exp. Med., 54:361-71.
- Swine influenza. III. Filtration experiments and etiology. J. Exp. Med., 54:373-85.

1932

Studies on immunity to swine influenza. J. Exp. Med., 56:575-85.

- A transmissible tumor-like condition in rabbits. A filtrable virus causing a tumor-like condition in rabbits and its relationship to Virus myxomatosum. J. Exp. Med., 56:793-822.
- Identity of the viruses causing "mad itch" and pseudorabies. Proc. Soc. Exp. Biol. Med., 30:308-9.

- Modification of the pathogenicity of pseudorabies virus by animal passage. J. Exp. Med., 57:925-31.
- Infectious papillomatosis of rabbits. J. Exp. Med., 58:607-24.

1934

- Swine influenza. V. Studies on contagion. J. Exp. Med., 59:201-11. The infaction of ferrets with swine influenza virus. J. Exp. Med., 60:49-61.
- Pseudorabies as a contagious disease in swine. Science, 80(July): 102-3.

1935

- Serial transmission of virus of infectious papillomatosis in domestic rabbits. Proc. Soc. Exp. Biol. Med., 32:830-32.
- Experiments on the epidemiology of pseudorables. I. Mode of transmission of the disease in swine and their possible role in its spread to cattle. J. Exp. Med., 62:85-99.
- Experiments on the epidemiology of pseudorabies. II. Prevalence of the disease among middle western swine and the possible role of rats in herd-to-herd infections. J. Exp. Med., 62:101-17.
- The infection of mice with swine influenza virus. J. Exp. Med., 62: 561-72.
- With Marion L. Orcutt. The distribution of swine influenza virus in swine. J. Exp. Med., 62:823-26.

- Infectious fibroma of rabbits. III. The serial transmission of Virus myxomatosum in cottontail rabbits, and cross-immunity tests with the fibroma virus. J. Exp. Med., 63:33-41.
- Infectious fibroma of rabbits. IV. The infection with Virus myxomatosum of rabbits recovered from fibroma. J. Exp. Med., 63:43-57.
- A change in rabbit fibroma virus suggesting mutation. II. Behavior of the variant virus in cottontail rabbits. J. Exp. Med., 63:173-78.
- With C. H. Andrewes. A change in rabbit fibroma virus suggesting mutation. III. Interpretation of findings. J. Exp. Med., 63:179-84.
- With Thomas Francis, Jr. Neutralization tests with sera of conva-

lescent or immunized animals and the viruses of swine and human influenza. J. Exp. Med., 63:645-53.

- The incidence of neutralizing antibodies of swine influenza virus in the sera of human beings of different ages. J. Exp. Med., 63:669– 84.
- Immunization experiments with swine influenza virus. J. Exp. Med., 64:47-61.
- With Thomas Francis, Jr. The susceptibility of swine to the virus of human influenza. J. Exp. Med., 64:791-801.
- The influenzas of swine and man. In: The Harvey Lectures, 1935-1936, pp. 183-213. N.Y.: The Harvey Society.

1937

- Immunization of rabbits to infectious papillomatosis. J. Exp. Med., 65:219-31.
- Recent knowledge concerning influenza. Ann. Intern. Med., 11 (no. 1):1-12.
- The effect of *Hemophilus influenzae suis* vaccines on swine influenza. J. Exp. Med., 66:169-75.
- Immunological relationship between the swine and human influenza viruses in swine. J. Exp. Med., 66:151-68.

1938

- Protection of rabbits against naturally acquired infectious myxomatosis by previous infection with fibroma virus. Proc. Soc. Exp. Biol. Med., 38:86–89.
- Serological evidence for the occurrence of infection with human influenza virus in swine. J. Exp. Med., 67:739-48.

- With Carlos T. Rosenbusch. The antibody response to swine influenza. J. Exp. Med., 69:499-505.
- An intermediate host for the swine influenza virus. Science, 89:441-42.
- Serological studies of swine influenza viruses. J. Exp. Med., 69:847-56.
- Complex infections. (The Middleton Goldsmith Lecture, read before the New York Pathological Society, Dec. 7, 1938.) Arch. Pathol., 913-32.

Swine pox. Arch. Gesamte Virusforsch., 1:457-67.

1941

- Problems in the epidemiology of virus diseases. (Illinois Conference on Public Health, Springfield, Dec. 6, 1940.) The Illinois Health Messenger, 13:30-35.
- The influence of host and intermediate reservoir host in determining the epidemiologic pattern of bovine pseudorabies and swine influenza. In: Problems and Trends in Virus Research, University of Pennsylvania, Bicentennial Conference, pp. 55-66. Philadelphia: Univ. of Pennsylvania Press.
- The swine lungworm as a reservoir and intermediate host for swine influenza virus. I. The presence of swine influenza virus in healthy and susceptible pigs. J. Exp. Med., 74:41-47.
- The swine lungworm as a reservoir and intermediate host for swine influenza virus. II. The transmission of swine influenza virus by the swine lungworm. J. Exp. Med., 74:49-68.

1943

- Swine influenza. In: Virus Diseases: the Messenger Lectures, 1942, pp. 85-109. Ithaca: Cornell Univ. Press.
- The swine lungworm as a reservoir and intermediate host for swine influenza virus. III. Factors influencing transmission of the virus and the provocation of influenza. J. Exp. Med., 77:111-26.
- The swine lungworm as a reservoir and intermediate host for swine influenza virus. IV. The demonstration of masked swine influenza virus in lungworm larvae and swine under natural conditions. J. Exp. Med., 77:127-38.

1944

Old, intermediate, and contemporary contributions to our knowledge of pandemic influenza. Medicine, 23:415-55.

1946

Rinderpest—I-XVI. Am. J. Vet. Res., 7:133-237.

The problem of certain animal diseases prevalent in Iowa as related to human medicine. J. Iowa State Med. Soc., 36:419-25.

- An unfamiliar mechanism of disease transmission. Proc. Am. Phil. Soc., 92:289-93.
- Propagation of the virus of cattle plague in the developing egg. Proc. 4th Internat. Cong. Trop. Med. and Malaria, Washington, 1948. Wash., D.C.: U.S. Govt. Printing Office, 2:1351-57.
- With F. R. Selbie and R. H. M. Robinson. Shope papilloma virus: Reversion of adaptation to domestic rabbit by passage through cottontail. Brit. J. Cancer, 2:375-80.

1950

- "Masking," transformation, and interepidemic survival of animal viruses. In: Viruses of 1950, pp. 79–92. Pasadena: Division of Biology of the California Institute of Technology.
- The spread of viruses from infected to susceptible hosts. In: The Pathogenesis and Pathology of Viral Diseases, New York Academy of Medicine, Section on Microbiology, Symposium Number Three, pp. 6-18. N.Y.: Columbia Univ. Press.

1951

- Factors involved in the transmission and propagation of viruses. Cornell Vet., 41:181-89.
- The provocation of masked swine influenza virus by infection with human influenza virus. Tschr. diergeneesk, 76:414-20.

1952

- Swine and human health. Proc. Book Am. Vet. Med. Assoc. (89th Ann. Meet., 1952), 97:381-84.
- Role of swine diseases in diseases of man. Pub. Health Rep., 67:983-84.
- With Oscar Sussman and Ralph A. Hendershott. Administrative considerations of garbage feeding with reference to vesicular exanthema and trichinosis. United States Livestock Sanitary Association (56th Annual Meeting, 1952), 218-22.

1953

An antiviral substance from *Penicillium funiculosum*. I. Effect upon infection in mice with swine influenza virus and Columbia SK encephalomyelitis virus. J. Exp. Med., 97:601-25.

- An antiviral substance from *Penicillium funiculosum*. II. Effect of Helenine upon infection in mice with Semliki Forest virus. J. Exp. Med., 97:627-38.
- An antiviral substance from *Penicillium funiculosum*. III. General properties and characteristics of Helenine. J. Exp. Med., 97:639– 50.
- Public health regulations concerning brucellosis. Public Health News, New Jersey State Department of Health, 34:183-88.

- Ecology and virus reservoirs. In: The Dynamics of Virus and Rickettsial Infections, pp. 125-41. N.Y.: Blakiston.
- Biographical memoir of Raymond Alexander Kelser. In: Biographical Memoirs, 28:199–221. N.Y.: Columbia Univ. Press for the National Academy of Sciences.
- Infectious ectromelia of mice (mouse pox). J. Lab. Clin. Med., 44: 333-35. Also in: J. Nat. Cancer Inst., 15:405-8.
- Foreword. In: M. N. Dreguss and L. S. Lombard, *Experimental* Studies in Equine Infectious Anemia, pp. vii-viii. Philadelphia: Univ. of Pennsylvania Press.

1955

An infectious fibroma of deer. Proc. Soc. Exp. Biol. Med., 88:533-35.

- With L. G. MacNamara and Robert Mangold. Epizootic hemorrhagic disease of deer. New Jersey Outdoors, State of New Jersey Division of Fish and Game, 6(no. 5):17-21.
- The swine lungworm as a reservoir and intermediate host for swine influenza virus. V. Provocation of swine influenza by exposure of prepared swine to adverse weather. J. Exp. Med., 102:567–72.
- With David Bodian et al. Interim Report, Public Health Service Technical Committee on Poliomyelitis Vaccine. J. Am. Med. Assoc., 159:1444-47.
- Epizootiology of virus diseases. In: Advances in Veterinary Science, 2:1-46. N.Y.: Academic Press.

1956

Swine influenza. In: U.S. Department of Agriculture Yearbook, 1956, pp. 366–68. Washington, D.C.: U.S. Govt. Printing Office.

With Colin M. MacLeod et al. The United States medical mission

on microbiology and epidemiology to the Soviet Union. J. Am. Med. Assoc., 162:656-57.

- With David Bodian et al. The monkey safety test for poliomyelitis vaccine. Am. J. Hyg., 64:104-37.
- With Michael B. Shimkin. Some observations on cancer research in the Soviet Union. Cancer Res., 16:915-17.

1957

The leech as a potential virus reservoir. J. Exp. Med., 105:373-82.

- With Peyton Rous. Presentation of the Kober Medal to Richard Shope. Acceptance of the Kober Medal for 1957. Trans. Assoc. Am. Physicians, 70:29-40.
- Discussion: A. B. Sabin. Properties of attenuated polioviruses and their behavior in human beings. In: Cellular Biology Nucleic Acids and Viruses, 5:139-40. N.Y.: New York Academy of Sciences.
- The provocation of masked hog cholera virus in lungworm-related swine by ascaris larvae. National Academy of Sciences Autumn Meeting, Nov. 18–20, 1957. Science, 126:1236.

- Influenza: history, epidemiology, and speculation. (The R. E. Dyer Lecture.) Public Health Reports, 73(no. 2):165-78.
- Dedication Speech, Medical Research Center, University of Iowa. Medical Bulletin (State University of Iowa, Iowa City), Winter 1957-58: 33-40.
- The swine lungworm as a reservoir and intermediate host for hog cholera virus. I. The provocation of masked hog cholera virus in lungworm-infested swine by ascaris larvae. J. Exp. Med., 107: 609-22.
- Foreword. In: F. R. Beaudette, Progress in Psittacosis Research and Control, pp. v-vii. New Brunswick, N.J.: Rutgers Univ. Press.
- Virus reservoirs. In: Progress in Psittacosis Research and Control, 19–23. New Brunswick, N.J.: Rutgers Univ. Press.
- The swine lungworm as a reservoir and intermediate host for hog cholera virus. II. Attempts to demonstrate the presence of hog cholera virus in lungworms derived from swine with cholera. J. Exp. Med., 108:159-69.

- Swine influenza (flu, hog flu, swine flu). In: Diseases of Swine, pp. 81-98. Ames Iowa State College Press.
- Pseudorabies (Aujeszky's Disease, mad itch, infectious bulbar paralysis). In: *Diseases of Swine*, pp. 219–28. Ames Iowa State College Press.
- With Robert Mangold, Lester G. MacNamara, and Keith R. Dumbell. An infectious cutaneous fibroma of the Virginia whitetailed deer (Odocoileus virginianus). J. Exp. Med., 108:797-802.
- The role of latency in the epidemiology of virus diseases. In: Comparative Medicine in Transition, Proceedings of the First Institute of Veterinary Public Health Practice, Oct. 6-9, 1958. The Univ. of Michigan School of Public Health, Ann Arbor. Lord Baltimore Press.

- Hog cholera eradication, an editorial. J. Am. Vet. Med. Assoc., 134 (Feb. 1, 1959):143-45.
- Latent virus infections in animals. Recent Progress in Microbiology, Symposia Held at VII Intern. Congr. for Microbiology, 1959, 230-37.
- With Dan H. Moore, Robert S. Stone, and Dorothy Gelber. Ultrastructure and site of formation of rabbit papilloma virus. Proc. Soc. Exp. Biol. Med., 101:575–78.
- With Robert S. Stone and Dan H. Moore. Electron microscope study of the development of the papilloma virus in the skin of the rabbit. J. Exp. Med., 110:543-46.
- The story on E. E. E.: Eastern Equine Encephalomyelitis. New Jersey Outdoors, State of New Jersey Division of Fish and Game, 10(no. 5):12–15.
- Comparative medicine. Occasional Paper No. 7. N.Y.: The Rockefeller Institute Press.
- The roles of virus and host in determining the host reaction to the fibroma-myxoma virus complex. In: Genetics and Cancer, Thirteenth Annual Symposium on Fundamental Cancer Research at the Univ. of Texas M.D. Anderson Hospital and Tumor Institute, Bertner Foundation Lecture, pp. 311-23. Austin: Univ. of Texas Press.

With Keith R. Dumbell, Robert Mangold, and L. G. MacNamara.

An infectious fibroma of the Virginia white-tailed deer (Odocoileus virginianus). Acta Unio Internat. Contra Cancrum, 15:799-800.

1960

- With Lester G. MacNamara and Robert Mangold. A virus-induced epizootic hemorrhagic disease of the Virginia white-tailed deer (Odocoileus virginianus). J. Exp. Med., 111:155-70.
- Eastern viral encephalomyelitis, an editorial. J. Am. Vet. Med. Assoc., 136(no. 7):339-40.
- Summarization of symposium on Eastern encephalomyelitis. Philadelphia Medicine, 56(no. 14):431-34.
- Comments—Sven Gard's detection of viruses by chemical and biological means. Cancer Res., 20(no. 5):742-43.
- Summary of informal discussions—A consideration of virus-host relationships in neoplasia at the level of the whole animal. (Symposium sponsored by the American Cancer Society—The Possible Role of Viruses in Cancer.) Cancer Res. 20:784–95.
- Koch's postulates and a viral cause of human cancer: guest editorial. Cancer Res., 20:1119-20.

1961

- Contributions of animal disease to research. Public Health News, New Jersey State Dept. of Health, 42(no. 1):9–12.
- An immunizing substance for Semliki Forest virus in the livers of immune mice. I. The initial observation together with a consideration of the attending conditions. J. Exp. Med., 113:511-15.
- Consideration of the possible etiological role of viruses in cancer. J. Am. College Dentists, June: 128-41.

1962

- Are animal tumor viruses always virus-like? J. Gen. Physiol., 45:143– 54 (Supp. to March issue).
- With Norma E. Mettler and Lester G. MacNamara. The propagation of the virus of epizootic hemorrhagic disease of deer in newborn mice and HeLa Cells. J. Exp. Med., 116:665-78.

Viruses and cancer. Annals of Dentistry, 21:96-101.

With Lester G. MacNamara and Norma E. Mettler. The attenuation of the virus of epizootic hemorrhagic disease of door by its serial passage in the brains of newborn mice. J. Exp. Med., 118:421–24.

1964

- Porcine contagious pleuropneumonia. I. Experimental transmission, etiology, and pathology. J. Exp. Med., 119:357-68.
- With David C. White and Grace Leidy. Porcine contagious pleuropneumonia. II. Studies of the pathogenicity of the etiological agent, *Hemophilus pleuropneumoniae*. J. Exp. Med., 119:369-76.
- The epidemiology of the origin and perpetuation of a new disease. (Howard Taylor Ricketts Lecture presented May 31, 1963, at Univ. of Chicago Medical School.) Perspectives in Biol. and Med., 7(Spring):263-78.
- With David C. White, Grace Leidy, and James D. Jamieson. Porcine contagious pleuropneumonia. III. Interrelationship of *Hemophilus pleuropneumoniae* to other species of *Hemophilus*: Nutritional, metabolic, transformation, and electron microscopy studies. J. Exp. Med., 120:1-12.
- The birth of a new disease. In: Newcastle Disease Virus: An Evolving Pathogen, ed. Robert Paul Hanson. Madison: The Univ. of Wisconsin Press.

1965

Transmission of viruses and epidemiology of viral infections. In: Viral and Rickettesial Infections of Man, ed. Igor Tamm and Frank L. Horsfall, Jr. Philadelphia: J. B. Lippincott.

1966

- An antiviral substance from *Penicillium funiculosum*. IV. Inquiry into the mechanism by which Helenine exerts its antiviral effect. J. Exp. Med., 123:213-27.
- With Ping-Yao Cheng. The presence in *Penicillium funiculosum* of an inhibitor to the antiviral agent Helenine. J. Exp. Med., 123: 505-8.

Evolutionary episodes in the concept of viral oncogenesis. (Philip B.

Price Lecture presented June 3, 1965, at Univ. of Utah College of Medicine.) Perspectives in Biol. and Med., 9:258-74.

- With Michael W. Rytel and Edwin D. Kilbourne. An antiviral substance from *Penicillium funiculosum*. V. Induction of interferon by Helenine. J. Exp. Med., 123:577-84.
- An antiviral substance from *Penicillium funiculosum*. VI. Prevention of the establishment of passive immunity to Semliki Forest virus infection in mice by Helenine. J. Exp. Med., 124:15-32.
- An antiviral substance from *Penicillium funiculosum*. VII. An attempt to determine whether the material responsible for the antipassive immunity effect exhibited by mice injected with Helenine is an interferon. J. Exp. Med., 124:915–19.